

SERIAL NO	DGCA NO	Subject	Reference	PREVIOUS REF	Compliance	Applicability
1	DGCA / ALOUETTE-III / 01	TO PREVENT FURTHER FAILURES OF MAIN DRIVE SHAFT AND FREEWHEEL ASSEMBLY P/N 31605.60.00.000 OR 31605.60.10.000 AS A CONSEQUENCE OF INADEQUATE LUBRICATION	FAA AD 88-12-11 & AEROSPATIALE SB NO 65-81 DTD 14/02/79		'AS IN AD	'AS IN AD
2	DGCA / ALOUETTE-III / 02	VERIFICATION OF MAIN GEAR BOX COUPLING	BUREAU VERITAS AD NO 73-40-17 DT 3/4/73		AFTER 50 HRS OF SERVICE	ALOUETTE ALL VERSIONS
3	DGCA / ALOUETTE-III / 03	INSPECTION AND REINFORCEMENT OF ATTACHMENT AT FRAME 8 OF TAIL BOOM	FAA AD 75-21-03		'AS IN AD	'AS IN AD
4	DGCA / ALOUETTE-III / 04	REPLACEMENT OF TIE WIRE GUIDES ON TAIL BOOM	SUD S.B. NO.65-72(MAND MOD 1230)		ON OR BEFORE 15/6/74	AS IN SB
5	DGCA / ALOUETTE-III / 05	ADULTERATION OF MGB OIL THROUGH EXCESSIVE ACIDITY LIABLE TO EFFECT INTERNAL PROTECTION OF MGB	BVAD 74-73-19 DT.4/7/74 W.R.T. S.B. NO. 01-37 DT. 24/6/74 ONLY 9 (ALSO SB 01-37A)		'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
6	DGCA / ALOUETTE-III / 06	CRACK IN DRAG DAMPER FIXED LEVER IN MAIN ROTOR HEAD	B.V. AD 74-140-20 (ALSO ALOUTTE S.B. 65-101)		AS IN AD	'AS IN AD
7	DGCA / ALOUETTE-III / 07	INSPECTION OF DRAG DAMPERS	BV AD NO. 75-100-21 (ALSO SSB 05-54)		'AS IN AD	'AS IN AD
8	DGCA / ALOUETTE-III / 08	MEASURING THE SQUARE THREAD WIDTH OF TAIL ROTOR DIRECTIONAL CONTROL	FAA AD 75-16-06		AS IN AD	'AS IN AD
9	DGCA / ALOUETTE-III / 09	PROPER TIGHTENING OF THE INPUT & OUTPUT WIRE TERMINALS OF THE TELEC NOISE SUPPRESSORS	BV AD 77-205-34(B)		'AS IN AD	'AS IN AD
10	DGCA / ALOUETTE-III / 10	MODIFICATION OF HYDRAULIC DAMPERS INSTALLED ON MAIN ROTOR HEAD	BV AD 75-145-23 DT. 22/7/75 & FAA AD 75-17-30		'AS IN AD	'AS IN AD
11	DGCA / ALOUETTE-III / 11	INSPECTION/RECTIFICATION OF FIXED LEVERS OF THE MAIN ROTOR HEAD HYDRAULIC DRAG DAMPERS	FAA AD 75-26-02		'AS IN AD	'AS IN AD

12	DGCA / ALOUETTE-III / 12	INSPECTION/REPAIR OF THE BLADE SPAR FOR CORROSION	FAA AD 75-27-05		'AS IN AD	'AS IN AD
13	DGCA / ALOUETTE-III / 13	REDUCTION OF THE MAX. PERMISSIBLE COLLECTIVE PITCH BY .03 IN HOVER TRANSITION MANEUVERS & LEVEL FLIGHT AT MAX AIRSPEED AS PER THE TABLE	BV AD 75-231-26 DT. 29/12/75		WITH IMMEDIATE EFFECT	'APPLICABLE TO SE3160 MODEL
14	DGCA / ALOUETTE-III / 14	PAIRING OF PINIONS	MOD MS 2017		AT NEXT O/H OF MAIN GEAR	'ALL ALOUETTE III HELICOPTER
15	DGCA / ALOUETTE-III / 15	IN ACCORDANCE WITH S.B.05-60 CHECK FOR CONDITION OF SPLINED & (REAR OUTPUT PINION SIDE OF MGB) ON MGB OIL PUMP DRIVE SHAFT P/N 3160.62.60.011	BV AD 76-163-28(B) DT 8/9/76		AS IN AD	'AS IN AD
16	DGCA / ALOUETTE-III / 16	INSTALLATION OF NEW MICRO PUMP FITTED WITH NON RETURN VALVE ON ARTOUSTE III ENGINE	TURBOMECA MOD. ORDER NO.123939		WITHIN 31/3/77	'AS IN MOD
17	DGCA / ALOUETTE-III / 17	AXIAL COMPRESSION FRONT BEARING-FITTING OF SNFA BEARING WITH A STEEL SILVER PLATED CAGE	TURBOMECA MOD NO.118		DURING O/H MAJOR REPAIR	ARTOUSTE III B ENGINE
18	DGCA / ALOUETTE-III / 18	INSPECTION OF SAAM 4300 SERVO CONTROL UNITS FITTED WITH CONTROL PIN 74802A	BV AD 77-64-31 (B)		'AS IN AD	'AS IN AD
19	DGCA / ALOUETTE-III / 19	INSPECTION OF STRUT P/N 3160 S.23.10.220 ON TAIL ROTOR GEAR BOX	BV AD 77-63-30(B)		DAILY INSP OF WELD AREA W	AS IN AD
20	DGCA / ALOUETTE-III / 20	CHECKING CONDITION OF SPLINED END ON MGB OIL PUMP DRIVE SHAFT	BV AD 77-202-33(B)		AS IN AD	'AS IN AD
21	DGCA / ALOUETTE-III / 21	REPLACEMENT/MODIFICATION OF HYDRAULIC DAMPER TO PREVENT POSSIBLE BINDING OF TAIL ROTOR DIRECTIONAL CONTROL	BV AD 77-14-03		'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
22	DGCA / ALOUETTE-III / 22	SERVICE LIFE OF DIRECTIONAL CONTROL CABLES	BV AD NO. 77-136-32(B)		FORTHWITH	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
23	DGCA / ALOUETTE-III / 23	REPLACEMENT OF 'SELOL' SEALS P/N 9660136220 INSTALLED ON FRONT AND REAR ENDS OF COMPRESSOR OF ARTOUSTE III HELICOPTER TO REMEDY OIL LEAK / HIGH OIL CONSUMPTION	DGCA LETTER NO.78/138/77-AI(I) DT 9/12/77		FORTHWITH	AS IN DGCA LETTER

24	DGCA / ALOUETTE-III / 24	ULTIMATE LIFE OF ANTENNA.WHIP-VHF P/N 31305-78-11-901	HAL/SERVICE INSTR./ALLOUTTE III/12		AS IN SI	ALL ALLOUTTE III HELICOP
25	DGCA / ALOUETTE-III / 25	TAIL GEAR BOX-ATTACHMENT OF STRUT TO FRAME NO.8	S.N.I.A.S. S.B. NO.01-45		AS IN SB	AS IN SB
26	DGCA / ALOUETTE-III / 26	INTRODUCTION OF ONE ADDITIONAL GRUB SCREW ON THE PLATE ASSY. CO-PILOT LEVER MOUNTING	HAL MOD. NO.INDIA/AL III/MOD/140		1/3/80	ALL ALOUETTE III HELICOPTER
27	DGCA / ALOUETTE-III / 27	INCREASED CLEARANCE IN DIRECTIONAL CONTROL PEDAL PLAIN BEARING	S.N.I.A.S. MOD. NO.AMS 2099 & S.B.NO.65.111 DT.28/2/77		NEXT RENEWAL OF C OF A	ALL ALOUTTE III HELICOPTER
28	DGCA / ALOUETTE-III / 28	CHECK OF ANGULAR DISPLACEMENT ON THE OUTPUT FLANGE OF THE GEAR BOX	AEROSPATIALA ALOUETTE S.B. NO.05-68		AS IN SB	AS IN SB
29	DGCA / ALOUETTE-III / 29	INSPECTION OF FORWARD TRANSMISSION DECK ATTACHMENTS	FAA AD 81-06-04 & S.N.I.A.S. S.B. NO.05-69		AS IN SB	ALL ALOUETTE HELICOPTERS
30	DGCA / ALOUETTE-III / 30	COLLECTIVE PITCH CONTROL LEVER INSTALLATION (CO-PILOT) (3100S-73-33-500)	HAL TECHNICAL INSTRUCTIONS/ALOUTTE III/12		AS IN T.I.	ALL ALOUTTE III HELICOPTER
31	DGCA / ALOUETTE-III / 31	SERVICE LIFE LIMIT FOR EYE-END FITTING AND MAIN GEAR BOX 'A' FRAMES	B.V.A.D. 83-83-44(B) REV.1 ALOUETTE AEROSPATIALE S.B. NO. 01-4-9 REV.3		AS IN AD & SB	AS IN AD &SB
32	DGCA / ALOUETTE-III / 32	INSPECTION OF TAIL ROTOR PITCH CHANGE CONTROL	BVAD 84-085-045(B) R1 AND AEROSPATIALE SB NO.01-50 R1		AS IN SB	AS IN SB
33	DGCA / ALOUETTE-III / 33	INSPECTION OF THE LUGS OF THE MAIN ROTOR HUB YOKES FOR CRACKS USING A MAGNIFYING GLASS	BUREAU VERITOS A.D. DT. 17TH OCT.89		AS IN AD	AS IN AD
34	DGCA / ALOUETTE-III / 34	MONITORING THE BLADE SPACING SYSTEM CABLE TO MRH ATTACHMENTS	AEROSPATIALE MAND.S.B. NO.05-78 DT.18 AUG.1986		AS IN SB	AS IN SB
35	DGCA / ALOUETTE-III / 35	BRONZARIA-AIR EQUIPMENT RESCUE HOISTS-REPLACEMENT OF RETURN SPRING ON THE UPPER END OF TRAVEL LEVER	BVAD NO.88-024(B)		AS IN AD	AS IN AD

36	DGCA / ALOUETTE-III / 36	INSPECTION AND REMOVAL OF INTERMEDIATE BEARING ASSEMBLY	BVAD NO.79-015-038(B) REV.1		AS IN AD	AS IN AD
37	DGCA / ALOUETTE-III / 37	MAIN ROTOR BLADES SERVICE- LIFE LIMIT	BVAD 89-163-047(B) R1 & BVAD 89-163-032(B)		AS IN ADS	AS IN ADS
38	DGCA / ALOUETTE-III / 38	HORIZONTAL STABILIZER SPAN TUBES	BVAD 91-020-049(B) R1 AND AEROSPATIALE ALOUETTE III S.B. 05-84		AS IN AD & SB	AS IN AD & SB
39	DGCA / ALOUETTE-III / 39	BODY STRUCTURE CLUSTER 6D FITTING	BVAD 93-200-048(B) R1		AS IN AD	AS IN AD
40	DGCA / ALOUETTE-III / 40	MAIN ROTOR BLADES	BVAD 93-105-052 (B) R2 & EUROCOPTER 316-319 S.B. NO.65-137 R1		AS IN AD & SB	AS IN AD & SB
41	DGCA / ALOUETTE-III / 41	EMERGENCY FLOTATION GEAR NITROGEN CYLINDER INFLATION HEAD	BVAD AD 80-062-041(B) R2 AND EUROCOPTER 05-66 R2		AS IN AD & SB	AS IN AD & SB
42	DGCA / ALOUETTE-III / 42	INSTALLATION OF A SUPPLEMENTAL OUTSIDE AIR TEMP. AND VELOCITY NEVER EXCEED LIMITATION FLIP CHART PLACARD	FAA AD 93-23-04		AS IN AD	AS IN AD
43	DGCA / ALOUETTE-III / 43	MAIN ROTOR BLADE - CUFT SPAR ASSEMBLY	FAA AD 98-170-56 R1		AS IN AD & SB	AS IN AD & SB
44	DGCA / ALOUETTE-III / 44	VISUAL CHECK OF THE CRACK ON THE UPPER AND LOWER BLADE SURFACE	TAD T98-287-059(A)		AS IN AD & SB	AS IN AD & SB
45	DGCA / ALOUETTE-III / 45	MAIN GEARBOX	BVAD 98-304-058(A)		AS IN AD & SB	AS IN AD & SB
46	DGCA / ALOUETTE-III / 46	BONDING CHECK OF MAIN ROTOR BLADES SHIN & MAIN ROTOR BLADE ROOT REINFORCEMENT STRIP	BVAD 98-285-057(A)		AS IN AD & SB	AS IN AD & SB
47	DGCA / ALOUETTE-III / 47	LIMITATION OF TAILROTOR BLADE SERVICE LIFE	TELEGRAPHIC AD T1999-128-060(A)R1		AS IN AD & SB	AS IN AD & SB

48	DGCA / ALOUETTE-III / 48(R1)	ENGINE - TURBINE SHAFT LABYRINTH INSPECTION	DGAC AD F 2004-016	DGAC AD F 2001-235	AS IN AD & SB	AS IN AD & SB
49	DGCA / ALOUETTE-III / 49	ARTONOTE III B TURBOSHAFT ENGINES-CIVIL OPERATION	DGAC AD 2002-597(A)		AS IN AD & SB	AS IN AD & SB
50	DGCA / ALOUETTE-III / 50(R1)	EQUIPMENT AND FURNISHINGS- HOIST HOOKS (GOODRICH HOIST)	EASA AD 2006-0098	DGAC AD F-2004-046	AS IN AD	AS IN AD
51	DGCA / ALOUETTE-III / 51(R1)	TAIL ROTOR DRIVE- MAIN GEAR BOX	DGAC AD F 2004-198(R1)		AS IN AD	AS IN AD
52	DGCA / ALOUETTE-III / 52	ENGINE/AIR- AIR INTAKE ASSEMBLY	DGAC AD F 2003-455 R1		'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
53	DGCA / ALOUETTE-III / 53(R1)	ENGINE FUEL AND CONTROL- FUEL PUMP, MAXIMUM FLOW CHECK	EASA AD 2007-0030	DGAC AD F 2005-201	'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
54	DGCA / ALOUETTE-III / 54	ENGINE AND FUEL CONTROL- FUEL PIPE(PN 0 202 12 800 0)- INSPECTION	EASA AD 2006-0154		'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
55	DGCA / ALOUETTE-III / 55R1	EQUIPMENT AND FURNISHINGS - HOIST OPERATOR'S BELT SNAP HOOK --- REPLACEMENT / MODIFICATION	EASA AD 2010 - 0014		'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'
56	DGCA / ALOUETTE-III / 56	ATA 65 - TAIL ROTOR DRIVE - FREE - WHEEL CAGE - INSPECTION / REPLACEMENT	EASA AD 2011-0143		'AS IN AD & SUBSEQUENT REVISIONS TO SB'	'AS IN AD & SUBSEQUENT REVISIONS TO SB'